## AMS 3 Final

Name:
Calculators are not allowed.
Read all the questions before you start working on any of them. Start with the ones you are most comfortable with, and continue with the other ones later. Always double-check your answers.
Note that this final is graded out of 110 points. Any points above 100 will count as extra credit.
Relax, and do your best!
PROBLEM 1: SHORT QUESTIONS. [30 POINTS]
1.) What is the equation of the line perpendicular to $y = x$ which goes through the point $(-1, 2)$ ?
ANSWER:
Given the functions $f(x) = \ln(x)$ and $g(x) = e^{x-2}$
(2.) What is the domain of $f$ ?
3.) What is $f \circ g(x)$ ?
4.) What is $g \circ f(x)$ ?
5. What is $\cos[\arccos(x+1)]$ ?
6.7. Sketch the functions $f(x) = \frac{1}{x+2} + 2$ and $g(x) = (x-2)^3$

Given the parabola $y = x^2 + 6x - 1$ :
(8.) What are the coordinates of the vertex?
9. Does it open up or down?
(10) What is the $y$ -intercept?
11. What are the $x$ -intercepts?
12. Draw a signs table for the function $f(x) = \frac{3x^2}{(x-1)(x+3)}$
13. Given the function $f(x)$ of question 12, what is the domain of $\ln(f(x))$ ?
14. Given the function $f(x)$ of question 12, what is the domain of $2^{f(x)}$ ?
15. Expand the function $\ln[f(x)]$ of question 13 into a sum (or difference) of logarithms of the kin $\ln(ax+b)$ .
Α
(16.) Simplify the expression $\frac{\ln(2^{x+1})}{\ln(2^{2x+1})}$

- (17.) Simplify  $f(x) = \frac{3^x 2^{-2x}}{9^{3x} 4^{-x}}$
- (18.)  $\ln(x+y) = \ln(x) \ln(y)$ : TRUE /FALSE
- (19)(20) Sketch the functions  $-\log_2(x)$  and  $e^{-x} + 1$ .

(21) Find the solution of the equation  $e^{2x} - 2e^x - 3 = 0$ 

22. Solve the equation  $\log_2(\log_3(x)) = -1$  (simplify your answer if needed)

(23) What is the inverse of the function  $f(x) = 3x^{-1/\pi}$ ?

(24)	What	is	the	inverse	of the	function	f(x)	=	$2^{2x}$
\ ノ							. ( . ,		_

25. Solve the equation  $5^x = 3^{2x-1}$ 

(26.) Write 
$$(\frac{1}{2})^{t/\tau}$$
 as a natural exponential

·----

27.28. Sketch the function  $\cos(x)$  and its inverse on the same graph, on the interval  $[0,\pi]$ 

- 29. What is  $\sin(\frac{11\pi}{6})$ ?
- 30. What is the amplitude, and period of the function  $f(x) = 3\cos\left(\frac{2x}{3} + \frac{\pi}{6}\right)$ .

\_\_\_\_\_\_

PROBLEM 2) INEQUALITIES. [15 POINTS]. Sketch the function

$$f(x) = \frac{2x}{x - 2}$$

and solve the inequality f(x) < 3.

ANSWER:  $x \in$ 

PROBLEM 3: RATIONAL FUNCTIONS.[15 POINTS] Consider the function  $f(x) = \frac{x^2 - 6x + 8}{x^2 - x}$ .

(a) Factor this expression.

(d) Draw a signs table for f(x)

- (e) What is the behavior of f(x) as x goes to  $+\infty$  and  $-\infty$ ?
- (f) Using this information, sketch f(x).

PROBLEM 4.\Logarithms and exponentials. [15 Points] We consider here the two functions

$$\cosh(x) = \frac{e^x + e^{-x}}{2}$$

and

$$\sinh(x) = \frac{e^x - e^{-x}}{2}$$

(a) Calculate cosh(0) and sinh(0).

 $\cosh(0) =$ 

 $\sinh(0) = \_\_\_\_$ 

(b) What are the domains of the functions  $\cosh(x)$  and  $\sinh(x)$ ?

Domain of  $\cosh(x)$ :

Domain of sinh(x):

(c) These functions have many properties which are reminiscent of the trigonometric functions  $\cos(x)$ and  $\sin(x)$ . Here we prove one more of them. Evaluate and simplify the expression  $\cosh^2(x) - \sinh^2(x)$ , to show that it is actually constant. What is that constant?

ANSWER:  $\cosh^2(x) - \sinh^2(x) =$ \_\_\_\_\_\_

PROBLEM 5. TRIGONOMETRIC FUNCTIONS. [15 POINTS]

(a) Use the following addition formula

$$\sin(a - b) = \sin(a)\cos(b) - \sin(b)\cos(a)$$

simplify the expression

$$\frac{\sin(a-b)}{\cos(a)\cos(b)} + \frac{\sin(b-c)}{\cos(b)\cos(c)} + \frac{\sin(c-a)}{\cos(c)\cos(a)}$$

Note: show your full work with every step of the derivation, no points are awarded for guesses, or incomplete calculations.

(b) Find all the solutions to the equation  $\sin(x) = \frac{\sqrt{2}}{2}$ , and draw them on the unit circle.

ANSWER:

APPLIED PROBLEM. [20 POINTS]

Settlers who moved to Australia in the 19th century brought rabbits with them for food and sports-hunting. The introduction of this pest rapidly led to one of the worse ecological disasters ever recorded, with hundreds of plant and animal species brought to exctinction as a result.

The introduction of rabbits has been traced to a single person, Thomas Austin, who released 24 rabbits in the wild near his house in Victoria (South Australia) in 1859. This problem studies the consequences of his foolish act.

We will begin counting the number of months since the introduction of the 24 rabbits with the variable t. At t=0, in January 1859, there are therefore 24 rabbits in Australia (let's say, 12 males, 12 females).

(a) Assuming that the rabbit population doubles every months, how many rabbits will there be after 1 month (February), 2 months (March) and 3 months (April)?

February 1859:
March 1859:
April 1859:

(b) Generalize your finding to express your estimate of the rabbit population after t months as the function

$$N(t) = N_0 a^t$$

What is the value of  $N_0$ ? What is value of a?

ANSWER: 
$$N_0 =$$
\_\_\_\_\_,  $a =$ \_\_\_\_\_

(c) Using a change of base formula, express the function N(t) as the following exponential in base e:

$$N(t) = N_0 e^{rt}$$

What is the value of r? (Note: there is a table of values of  $\ln$  below)

ANSWER: 
$$N(t) = \dots, r = \dots$$

(d) Estimate how long it takes for the population to grow by a factor of 10. (Hint: find the time t for which  $N(t) = 10N_0$  in terms of values of ln, and then estimate the result rounding to the nearest integer).

ANSWER: It takes	months for the population to grow by a factor of 10.
(f) Deduce how long does it take for the p	opulation to grow by a factor of 10 <sup>9</sup> (one billion)?
ANSWER: It takeslion.	months for the population to grow by a factor of a bil-
unintended consequences, within ten years	the following comment in Wikipedia: "In a classic example of s of the introduction in 1859, rabbits had become so prevalent annually without having any noticeable effect on the population."
ANSWER:	

Useful numbers:  $\ln(2) \simeq 0.7$ ,  $\ln(3) \simeq 1.1$ ,  $\ln(4) \simeq 1.4$ ,  $\ln(5) \simeq 1.6$ ,  $\ln(6) \simeq 1.8$ ,  $\ln(7) \simeq 2$ ,  $\ln(8) \simeq 2.1$ ,  $\ln(9) \simeq 2.2$ ,  $\ln(10) \simeq 2.3$ .